

## SAFETY DATA SHEET

U.S. Department of Labor

May be used to comply with Occupational Safety and Health Administration OSHA's Hazard Communication Standard, (Non-Mandatory Form) 29 CFR 1910. 1200.

Standard must be Form Approved consulted for specific requirements. OMB No.1218-0072

## § 1 - IDENTITY INFORMATION

Product Name (as used on label and list):

AM 570, AM 571, AM 791 GLOSS MEDIUM

AM 572, AM 792 MATTE MEDIUM

AM 575 PAINTING MEDIUM

AM 496, AM 576, AM 586) OPAQUE MEDIUM

Manufacturer: HOLBEIN Works, Ltd.

Address: 2-2-5, Ueshio, Chuo-ku, Osaka-shi,

**OSAKA 542-0064 JAPAN** 

Telephone Number for information: 81-6-6191-7722

Emergency Telephone Number: 81-72-985-1221

Date Prepared: 2015-5-25 Preparer: ALAKI, Yutaka

#### § 2 - HAZARD IDENTIFICATION

This product is water-based and not classified as dangerous for supply or conveyance. The ingredients are water-reducible and falls well within the acceptable safety limits.

GHS label elements Void

Classification: Non-regulated

Danger: Nonflammable on product, and flammable after dry.

Hazard information: Especially none Ecological consideration: Especially none

#### § 3 - COMPOSITION / INGREDIENTS

Substance/Mixture: Mixture \*: Main ingredient

Components (Specific Chemical Identity, Common Name (s))				Application			
Pigment	(Clay, Al2O3 • 2SiO2 • 2H2O)	1332-58-7	_	_	P O	)	
Pigment	(Silica, SiO <sub>2</sub> )	7631-86-9	_	M	P O	)	
Binder	(Acrylic-Metacrylic Copolymer Emulsion)	25852-37-3	G	M	P O	)	
Dispersant	(Sodium Polycarboxylate)	25549-84-2 57-55-6	_	M	P O	)	
Moisturize	r (Propylene Glycol)		G	M	P O	)	
Thickener	(Polyacrylate)	9003-01-4	_	_	P O	)	
pH Agent	(Dimethylaminoethanol)	108-01-0	G	_	P O	)	
Preservativ	re (Benzimidazole)	148-79-8 TBZ	G	M	P O	)	
Preservativ	re (Benzisothiazoline)	2634-33-5	G	M	P O	)	
Water			_	_	P O	)	

## § 4 - FIRST AID MEASURES

In case of eye contact, rinse with plenty of water and if necessary Eyes:

consult an eye specialist.

In case of swallowing, drink plenty of water. Induce vomiting. Ingestion:

If you feel unwell, seek medical advice.

Skin Contact: Upon skin contact, wash with plenty of water, soap or other non-

irritating cleansing agents.

Upon inhalation of aerosol/vapor, take the person to fresh air Inhalation:

If there is difficulty in breathing, medical advice is required.

## § 5 - FIRE AND EXPLOSION HAZARD DATA

Flammability: Not combustible unless dried up

Flash Point, Ignition Point: Not below 100 ° C

**Combustion Products:** Formation of carbon dioxide and oxides of metal according to

pigment.

Precaution for Firefighters: Do not inhale combustion gases.

Water (Foam, Dry powder and Carbon dioxide, if necessary) Extinguishing Media:

Material will not support combustion unless the water Unusual Fire and Explosion Hazards:

has evaporated.

## § 6 - ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Wipe off.

**Environmental Precautions:** Prevent spills from entering storm sewers or drains and contact

with soil.

#### § 7 - HANDLING AND STORAGE

Precautions for Storing: Keep from freezing.

## § 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Avoid invasion to the eyes or body. Avoid prolonged or repeated contact with skin. Wash mouth or hands well after use. Avoid inhaling aerosols.

## § 9 - PHYSICAL / CHEMICAL CHARACTERISTICS

Gloss Matte **Painting** Opaque Medium Medium Medium Medium

Milk-white liquid White viscous liquid Appearance:

Faint acrylic odor Odor:

Specific Gravity (H2O = 1): 1.05 1.08 1.0 1.31

> **Boiling Point:** Approx. 100° C

Vapor Density (Air = 1):

Vapor Pressure (Butyl Acetate = 1): simile. Water

> pH:  $7 \sim 8$

Not so, after dried. Solubility in Water: Can be diluted.

## § 10 - HAZARD INFORMATION AND STABILITY

Physical Dangers: Nonflammable on product. Stable under normal state Stability:

Reactivity: None

Byproducts: Carbon dioxide, silicon dioxide (original ingredient) No thermal decomposition when stored and handled

correctly.

Incompatibility (Materials to Avoid): None

#### § 11 - TOXICOLOGICAL INFORMATION

Primary Routes of Entry: Dermal, eye contact, inhalation, swallowing

> Oral Toxicity: The products may flocculate by gastric acid. Toxicity of

> > this media itself is not confirmed.

Eye irritation: Irritant, but not damage the organization

Skin irritation: Irritant by repeated or prolonged contact, and may cause

inflammation.

**Inhalation Toxicity:** May stimulate eyes and respiratory organs with their vapor

or mists under highly concentrated state. The toxic act of

these products is not confirmed.

Carcinogenicity, Sensitization, Mutagenicity, Teratogenicity, Reproductive Toxicity:

No data available on products.

**Individual Information:** See the table of Appendix.

## § 12 - ECOLOGICAL INFORMATION

Fish Toxicity: It is pointed that acrylic polymer emulsion may obstruct the

breathing of fishes, if excess products pours.

## § 13 - DISPOSAL CONSIDERATIONS

Dispose in accordance with national and/or local Disposal Considerations:

regulations.

Avoid entry into the sewage system (danger of clogging).

## § 14 - TRANSPORT INFORMATION

Precautions for Transport: None, especially

> UN Class: N/A UN Number: N/A

## § 15 - REGULATORY INFORMATION

Danger Class: (Not flammable liquid) N/A

Fire Service Law: N/A Industrial Safety and Health Law: N/A

Pollutant Release and Transfer Register: N/A

Conforms to ACMI, Art & Creative Materials Institute, under ASTM D 4236.

## § 16 - OTHER INFORMATION

Notice: All information contained herein is for references and guidance for normal use, and not for all conceivable conditions of handling and use. The responsibility for irregular use belongs to user individuals. All information are under our knowledge of today, and not secure the perfection. All information may change according to circumstances.

# **APPENDIX**

	Table	Information of LIQUID PAINTING MEDIA
Name	Notice	Classification
Gloss Medium	-	AP
Matte Medium	-	AP
Painting Medium	-	AP
Opaque Medium	-	AP

AP (Approved Product): Contain no materials in sufficient quantities to be toxic or injurious

to humans.

Any known health risks and with information on the safe and proper use of these materials CL (Cautionary Label):